

TKD-MTPločica TKD 2002 – MT – **37 kn**Pločica TKD 2502 – MT – **37 kn**Pločica TKD 3004 – MT – **41 kn**Pločica TKD 4004 – MT – **45 kn**Pločica TKD 5004 – MT – **49 kn**Pločica TKD 5008 – MT – **49 kn**Pločica TKD 6004 – MT – **53 kn**Pločica TKD 6008 – MT – **53 kn****TKD-MR**Pločica TKD 2010 – MR – **37 kn**Pločica TKD 3015 – MR – **41 kn**Pločica TKD 4020 – MR – **45 kn**Pločica TKD 5025 – MR – **49 kn**Pločica TKD 6030 – MR – **53 kn****Uz narudžbu 30 pločica, držač po izboru GRATIS.**

Cijene držača za vanjsko i unutarnje odrezivanje i uštehavanje na upit.

PDV i dostava nisu uračunati.

BESPLATNA DOSTAVA za narudžbe iznad 1000 kn.Uz narudžbe iznad 2000 kn, glodača glava i paket pločica **GRATIS**.**Promocija vrijedi do ISTEKA ZALIHA****KONTAKTIRAJTE NAS**

M +385 91 637 0002

E matija@obadtools.com

W www.obadtools.com


OBAD Tools d.o.o.

Vinogradska 57, Donja Poljana

42223 Varaždinske Toplice, Croatia

TKD-MT


- **Ekonomična pločica TKD za opću namjenu s 2 rezne oštrice**
- **TG4230 kvaliteta za obradu čelika, inoxa i sivog lijeva**




| | Dimenzije (mm) | | | | |
|---------------|----------------|-----|------|------|------|
| | b | r | l | d | t |
| TKD 2002 - MT | 2 | 0.2 | 16 | 1.2 | 3.5 |
| TKD 2502 - MT | 2.5 | 0.2 | 18.5 | 2 | 3.58 |
| TKD 3004 - MT | 3 | 0.4 | 21.2 | 2.35 | 4.8 |
| TKD 4004 - MT | 4 | 0.4 | 21 | 3.3 | 4.8 |
| TKD 5004 - MT | 5 | 0.4 | 26 | 4.1 | 5.8 |
| TKD 5008 - MT | 5 | 0.8 | 26 | 4.1 | 5.8 |
| TKD 6004 - MT | 6 | 0.4 | 26 | 5 | 5.8 |
| TKD 6008 - MT | 6 | 0.8 | 26 | 5 | 5.8 |

TKD-MR

- **Ekonomična pločica TKD za opću namjenu s 2 rezne oštrice**
- **TG4230 kvaliteta za obradu čelika, inoxa i sivog lijeva**




| | Dimenzije (mm) | | | | |
|---------------|----------------|-----|----|------|-----|
| | b | r | l | d | t |
| TKD 2010 - MR | 2 | 1 | 16 | 1.5 | 3.5 |
| TKD 3015 - MR | 3 | 1.5 | 21 | 2.35 | 4.8 |
| TKD 4020 - MR | 4 | 2 | 21 | 3.3 | 4.8 |
| TKD 5025 - MR | 5 | 2.5 | 26 | 4.1 | 5.8 |
| TKD 6030 - MR | 6 | 3 | 26 | 5 | 5.8 |




MGEHR/L

- Obrada s stabilnom kontrolom i geometrijom za izbacivanje strugotine
- Laka izmjenjena pločica
- Širina pločica 2,0 - 6,0 mm




| | Dimenzije (mm) | | | | | | | Insert | Wrench | Screw |
|------------------|----------------|-------|----|----|-----|----|----|--------------------------|--------|---------|
| | W | T-MAX | H | B | L | S | h | | | |
| MGEHR/L 1212-2.0 | 2 | 12 | 12 | 12 | 100 | 13 | 12 | TKD20 ..MT TKD20 ..MR | L3 | BHA0410 |
| MGEHR/L 1616-2.0 | 2 | 14 | 16 | 16 | 100 | 17 | 16 | | | |
| MGEHR/L 2020-2.0 | 2 | 14 | 20 | 20 | 125 | 21 | 20 | | | |
| MGEHR/L 2525-2.0 | 2 | 14 | 25 | 25 | 150 | 26 | 25 | TKD25 ..MT TKD25 ..MR | L5 | BHA0616 |
| MGEHR/L 1616-2.5 | 2.5 | 16 | 16 | 16 | 100 | 17 | 16 | | | |
| MGEHR/L 2020-2.5 | 2.5 | 16 | 20 | 20 | 125 | 21 | 20 | | | |
| MGEHR/L 2525-2.5 | 2.5 | 16 | 25 | 25 | 150 | 26 | 25 | | | |
| MGEHR/L 1212-3.0 | 3 | 16 | 12 | 12 | 100 | 13 | 12 | TKD30 ..MT TKD30 ..MR | L3 | BHA0410 |
| MGEHR/L 1616-3.0 | 3 | 18 | 16 | 16 | 100 | 17 | 16 | | | |
| MGEHR/L 2020-3.0 | 3 | 18 | 20 | 20 | 125 | 21 | 20 | | | |
| MGEHR/L 2525-3.0 | 3 | 18 | 25 | 25 | 150 | 26 | 25 | | | |
| MGEHR/L 3232-3.0 | 3 | 18 | 32 | 32 | 170 | 33 | 32 | | | |
| MGEHR/L 1616-4.0 | 4 | 18 | 16 | 16 | 100 | 17 | 16 | TKD40 ..MT TKD40 ..MR | L5 | BHA0410 |
| MGEHR/L 2020-4.0 | 4 | 18 | 20 | 20 | 125 | 21 | 20 | | | |
| MGEHR/L 2525-4.0 | 4 | 18 | 25 | 25 | 150 | 26 | 25 | | | |
| MGEHR/L 3232-4.0 | 4 | 18 | 32 | 32 | 170 | 33 | 32 | | | |
| MGEHR/L 2020-5.0 | 5 | 23 | 20 | 20 | 125 | 21 | 20 | TKD50 ..MT TKD50 ..MR | | |
| MGEHR/L 2525-5.0 | 5 | 23 | 25 | 25 | 150 | 26 | 25 | | | |
| MGEHR/L 3232-5.0 | 5 | 23 | 32 | 32 | 170 | 33 | 32 | | | |
| MGEHR/L 2525-6.0 | 6 | 25 | 25 | 25 | 150 | 26 | 25 | TKD60 ..MT TKD60 ..MR | | |
| MGEHR/L 3232-6.0 | 6 | 25 | 32 | 32 | 170 | 33 | 32 | | | |



MGIVR/L

- Obrada s stabilnom kontrolom i geometrijom za izbacivanje strugotine
- Laka izmjena pločica
- Širina pločica 2,0 - 6,0 mm



| | Dimenzije (mm) | | | | | | | | Insert | Wrench | Screw |
|-----------------|----------------|-------|----|----|-----|------|----|----|--------------------------|--------|---------|
| | W | T-MAX | D | d | L | S | H | I | | | |
| MGIVR/L2016-2.0 | 2 | 4.5 | 20 | 16 | 125 | 12.4 | 15 | 35 | TKD20 ..MT TKD20 ..MR | L3 | BH0410 |
| MGIVR/L2520-2.0 | 2 | 4.5 | 25 | 20 | 150 | 14 | 18 | 45 | | L4 | BHA0512 |
| MGIVR/L2925-2.0 | 2 | 4.5 | 29 | 25 | 200 | 17.2 | 23 | 45 | TKD25 ..MT TKD25 ..MR | L3 | BH0410 |
| MGIVR/L2016-2.5 | 2.5 | 4.5 | 20 | 16 | 125 | 12.5 | 15 | 35 | | L4 | BHA0512 |
| MGIVR/L2520-2.5 | 2.5 | 4.5 | 25 | 20 | 150 | 15.1 | 18 | 45 | TKD25 ..MT TKD25 ..MR | L4 | BHA0516 |
| MGIVR/L2925-2.5 | 2.5 | 4.5 | 29 | 25 | 200 | 18.2 | 23 | 45 | | | BHA0512 |
| MGIVR/L2520-3.0 | 3 | 5 | 25 | 20 | 150 | 15.6 | 18 | 45 | TKD30 ..MT TKD30 ..MR | L4 | BHA0516 |
| MGIVR/L3125-3.0 | 3 | 6 | 31 | 25 | 200 | 18.9 | 23 | 45 | | | BHA0512 |
| MGIVR/L3732-3.0 | 3 | 6 | 37 | 32 | 250 | 21.5 | 30 | 60 | TKD40 ..MT TKD40 ..MR | L4 | BHA0512 |
| MGIVR/L2520-4.0 | 4 | 6 | 25 | 20 | 150 | 15.6 | 18 | 45 | | | BHA0516 |
| MGIVR/L3125-4.0 | 4 | 6 | 31 | 25 | 200 | 18.9 | 23 | 45 | TKD50 ..MT TKD50 ..MR | L4 | BHA0516 |
| MGIVR/L3732-4.0 | 4 | 6 | 37 | 32 | 250 | 21.5 | 30 | 60 | | | |
| MGIVR/L3125-5.0 | 5 | 8 | 31 | 25 | 200 | 19.4 | 23 | 45 | TKD60 ..MT TKD60 ..MR | L4 | BHA0516 |
| MGIVR/L3732-5.0 | 5 | 8 | 37 | 32 | 250 | 21.4 | 30 | 60 | | | |
| MGIVR/L3125-6.0 | 6 | 8 | 31 | 25 | 200 | 19.4 | 23 | 45 | TKD60 ..MT TKD60 ..MR | L4 | BHA0516 |
| MGIVR/L3732-6.0 | 6 | 8 | 37 | 32 | 250 | 21.4 | 30 | 60 | | | |